INDEX TO AUTHORS

A

Albaum, Harry G., and **Umbreit, W. W.** Differentiation between ribose-3-phosphate and ribose-5-phosphate by means of the orcinol-pentose reaction, 369

Allen, Roberta P. See *Philips, Gilman, Koelle, and Allen,* 209

Ames, Stanley R., Sarma, P. S., and **Elvehjem, C. A.** Transaminase and pyridoxine deficiency, 135

—. See *Ziegenhagen, Ames, and Elvehjem,* 129

Anfinsen, Christian B., and **Claff, C. Lloyd.** An extension of the Cartesian diver micro respirometer technique, 27

Avakian, Souren. See *Martin, Moss, and Avakian,* 737

Axelrod, Bernard. Citrus fruit phosphatase, 57

B

Ballou, Gerald A. See *Boyer, Ballou, and Luck,* 407

Barker, H. A., and **Elsden, S. R.** Carbon dioxide utilization in the formation of glycine and acetic acid, 619

Barnard, Robert. See *Mentha, Sprinz, and Barnard,* 623

Basinski, Daniel H., and **Hummel, J. P.** Further observations on the succinic dehydrogenase system and the effects of tocopherol esters, 339

Bauer, Clifford D. See *Dasler and Bauer,* 581

Beerstecher, Ernest, Jr., and **Shive, William.** Biochemical transformations as determined by competitive analogue-metabolite growth inhibitions. V. Prevention of tyrosine synthesis by β-2-thienylalanine, 49

— and —. Prevention of phenylalanine synthesis by tyrosine, 527

Berman, M. See *Nachmansohn, Berman, and Weiss,* 295

Bessmann, Alice Neuman. See *Kalckar,* 445

Black, Simon, and **Thomson, John F.** Some metabolic effects produced by large doses of di-β-chloroethyl sulfide in rats, 283

Bodian, David, and **Mellors, Robert C.** Decrease of phosphocreatine in regenerating neurons, 655

Bolomey, René A., and **Kemmerer, A. R.** Spectrophotometric studies of the Roe method for the determination of dehydroascorbic acid, 781

Boyd, M. John, Logan, Milan A., and **Tytell, Alfred A.** Growth of *Clostridium welchii* (BP6K), 879

Boyer, Paul D., Ballou, Gerald A., and **Luck, J. Murray.** The combination of fatty acids and related compounds with serum albumin. III. The nature and extent of the combination, 407

Butler, Betty. See *Lyman, Moseley, Wood, Butler, and Hale,* 177

C

Carroll, C. J. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy,* 53

Chanutin, Alfred, and **Ludewig, Stephan.** The effect of β-chloroethyl vesicants, thermal injury, and turpentine on plasma fibrin, cholesterol, and sugar of dogs and rats, 313

—. See *Ludewig and Chanutin,* 35

Chipman, Lois. See *Sinclair and Chipman,* 773

Chow, Bacon F. The determination of plasma or serum albumin by means of a precipitin reaction, 757

Claff, C. Lloyd. See *Anfinsen and Claff,* 27

Clandinin, D. R. See *Riesen, Clandinin, Elvehjem, and Cravens,* 143

Clark, Irwin. See *Porter, Clark, and Silber,* 573

Cohen, Seymour S., and **Fowler, Catherine B.** The stimulation of bacteriophage synthesis by indole-3-acetic acid, 625

Cook, Elton S., and **Perisutti, Gladys.** The action of phenylmercuric nitrate. III. Inability of sulfhydryl compounds to reverse the depression of cytochrome oxidase and yeast respiration caused by basic phenylmercuric nitrate, 827

Cooperman, Jack M. See *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861

Cravens, W. W. See *Riesen, Clandinin, Elvehjem, and Cravens*, 143

D

Dasler, Waldemar, and **Bauer, Clifford D.** Electrically activated ergosterol (Whittier process), 581

Davis, Sanford. See *Stern, Singer, and Davis*, 321

Deuel, Harry J., Jr. See *Nieft and Deuel*, 521

Dische, Zacharias. A new specific color reaction of hexuronic acids, 189

Doisy, Edward A. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy*, 53

E

Edman, Pehr. A note on the action of tyrosinase on pepsin, trypsin, and chymotrypsin, 301

Elsden, S. R. See *Barker and Elsden*, 619

Elvehjem, C. A. See *Ames, Sarma, and Elvehjem*, 135

—. See *Riesen, Clandinin, Elvehjem, and Cravens*, 143

—. See *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861

—. See *Ziegenhagen, Ames, and Elvehjem*, 129

Engel, Frank L. See *Engel and Engel*, 535

Engel, Mildred G., and **Engel, Frank L.** The colorimetric microdetermination of urea nitrogen by the xanthydrol method, 535

F

Farkas, L., and **Fischer, E.** On the activation of molecular hydrogen by *Proteus vulgaris*, 787

— and **Schneidmesser, B.** The hydrogenation of fumarate by heavy hydrogen in the presence of *Bacillus coli*, 807

Fischer, E. See *Farkas and Fischer*, 787

Fisher, Alice. See *Shwartzman and Fisher*, 345

Fishman, Jacob B. An improved method for the preparation of pituitary adrenotropic hormone, 425

Flexner, Josefa B. See *Howe and Flexner*, 663

Fordham, Doris. See *Stokstad, Fordham, and de Grunigen*, 877

Fowler, Catherine B. See *Cohen and Fowler*, 625

—. See *Reinhold and Fowler*, 401

Fox, Sereck H. See *Mueller and Fox*, 291

Fraenkel-Conrat, Heinz. See *Glendening, Greenberg, and Fraenkel-Conrat*, 125

—. See *Li and Fraenkel-Conrat*, 495

Freed, Anna May. See *van Wagtendonk and Freed*, 225

Furchgott, Robert F., Rosenkrantz, Harris, and **Shorr, Ephraim.** Infra-red absorption spectra of steroids. III. Progesterone and pregnane derivatives, 627

G

Gaby, W. L. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy*, 53

Gaw, H. Z., and **Stanley, W. M.** Comparative properties of purified preparations of two distinctive strains of tobacco mosaic virus obtained from diseased Turkish tobacco and phlox plants, 765

Gerard, R. W. See *Simon, Potts, and Gerard*, 303

Gerlough, Tillman D. See *Smith and Gerlough*, 679

Gilman, Alfred. See *Philips, Gilman, Koelle, and Allen,* 209

Glendening, Mary Beth, Greenberg, David M., and **Fraenkel-Conrat, Heinz.** Biologically active insulin sulfate, 125

Goldsmith, Grace A. See *Sarett and Goldsmith,* 293

Goncalves, José M., Price, Vincent E., and **Greenstein, Jesse P.** Desamidation of amides in the presence of pyruvate furnished by concomitant reactions, 881

Green, D. E., Stumpf, P. K., and **Zarudnaya, K.** Diacetyl mutase, 811

—. See *Stumpf, Zarudnaya, and Green,* 817

Greenberg, David M. See *Glendening, Greenberg, and Fraenkel-Conrat,* 125

Greene, Richard D. See *Smith and Greene,* 833

Greenstein, Jesse P. See *Goncalves, Price, and Greenstein,* 881

Grinstein, Moisés. Studies of protoporphyrin. VII. A simple and improved method for the preparation of pure protoporphyrin from hemoglobin, 515

Grossowicz, N., and **Sherstinsky, E.** An improved microbiological method for the determination of nicotinic acid based on the use of *Proteus* HX19, 101

de Grunigen, Anna. See *Stokstad, Fordham, and de Grunigen,* 877

Gubernick, Isadore. See *Silverman and Gubernick,* 363

Guirard, Beverly M. See *Lipmann, Kaplan, Novelli, Tuttle, and Guirard,* 869

Gunness, Marion. See *Stokes, Larsen, and Gunness,* 613

H

Hald, Pauline M. The flame photometer for the measurement of sodium and potassium in biological materials, 499

Hale, Fred. See *Lyman, Moseley, Wood, Butler, and Hale,* 177

Hall, C. E. See *Jakus and Hall,* 705

Harte, Robert A. Substances in human saliva from "non-secretors," 873

Hauschildt, J. D., Isaacs, T. L., and **Wallace, W. B.** On the determination of tryptophane, 331

Hays, Edwin E. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy,* 53

Henry, Richard J., and **Housewright, Riley D.** Studies on penicillinase. II. Manometric method of assaying penicillinase and penicillin, kinetics of the penicillin-penicillinase reaction, and the effects of inhibitors on penicillinase, 559

—. See *Housewright and Henry,* 553

Heuser, G. F. See *Scott, Norris, and Heuser,* 261

Hiller, Alma. See *Van Slyke and Hiller,* 107

Hirschberg, Erich. See *Rubin, Scheiner, and Hirschberg,* 599

Hirschmann, Frieda B. See *Hirschmann and Hirschmann,* 7

Hirschmann, H., and **Hirschmann, Frieda B.** Steroid excretion in a case of adrenocortical carcinoma. III. The isolation of Δ^5-pregnenediol-3(β),17(β)-one-20 and of 17a-methyl-Δ^5-D-homoandrostenediol-3(β),17a(α)-one-17, 7

Hoberman, Henry D. The determination of guanidoacetic acid and arginine in human urine and serum, 721

Hoover, Sam R., and **Kokes, Elsie L. C.** Effect of pH upon proteolysis by papain, 199

Housewright, Riley D., and **Henry, Richard J.** Studies on penicillinase. I. The production, partial purification, and practical application of penicillinase, 553

—. See *Henry and Housewright,* 559

Howe, Howard A., and **Flexner, Josefa B.** Succinic dehydrogenase in regenerating neurons, 663

Huff, Jesse W. The fluorescent condensation product of N^1-methylnicotinamide and acetone. I. Synthesis and properties, 151

— and **Perlzweig, William A.** The fluorescent condensation product of N^1-methylnicotinamide and acetone. II. A sensitive method for the deter-

mination of N¹-methylnicotinamide in urine, 157
Huff, Jesse W. See *Levitas, Robinson, Rosen, Huff, and Perlzweig*, 169
Huffman, Max N. 16-Substituted steroids. II. 16-Ketoestrone-3-methyl ether, 273
Hughes, J. S. See *Parrish, Wise, and Hughes*, 673
Hummel, J. P. See *Basinski and Hummel*, 339

I

Irvin, J. Logan. See *Jackson, Kuhl, and Irvin*, 377
Isaacs, T. L. See *Hauschildt, Isaacs, and Wallace*, 331

J

Jackson, Dudley P., Kuhl, W. James, Jr., and Irvin, J. Logan. The determination of aromatic amidines in plasma and urine, 377
Jakus, M. A., and Hall, C. E. Studies of actin and myosin, 705
Johnson, B. Connor, Wiese, A. C., Mitchell, H. H., and Nevens, W. B. The metabolism of nicotinic acid and its rôle in the nutrition of the calf, 729
Jones, L. R. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy*, 53

K

Kalckar, Herman M. Differential spectrophotometry of purine compounds by means of specific enzymes. I. Determination of hydroxypurine compounds, 429
—. II. Determination of adenine compounds, 445
—. III. Studies of the enzymes of purine metabolism, 461
—. The enzymatic synthesis of purine ribosides, 477
Kaplan, Nathan O. See *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869
Katznelson, H. Substitution of thiamine by certain amino acids in the nutrition of *Bacillus paraalvei*, 615
Kazenko, Anna. See *Laskowski and Kazenko*, 617
Kemmerer, A. R. See *Bolomey and Kemmerer*, 781
Kepler, Edwin J. See *Mason and Kepler*, 73
Klein, J. Raymond, and Olsen, Norman S. Distribution of intravenously injected glutamate, lactate, pyruvate, and succinate between blood and brain, 1
— and —. Effect of convulsive activity upon the concentration of brain glucose, glycogen, lactate, and phosphates, 747
—. See *Olsen and Klein*, 739
Koelle, Ethol S. See *Philips, Gilman, Koelle, and Allen*, 209
Koepfli, J. B. See *Senear, Rapport, and Koepfli*, 229
Kokes, Elsie L. C. See *Hoover and Kokes*, 199
Kornberg, Arthur. See *Ochoa, Mehler, and Kornberg*, 871
Kritzmann, M. G. The mechanism of formation of amino acids in surviving animal tissues from pyruvate and ammonia, 77
Kuhl, W. James, Jr. See *Jackson, Kuhl, and Irvin*, 377

L

Lan, Tien Ho. See *Sealock and Lan*, 689
Larsen, Alma. See *Stokes, Larsen, and Gunness*, 613
Laskowski, M., and Kazenko, Anna. Nucleolytic and proteolytic activities of the new crystalline protein from beef pancreas, 617
Levitas, Nora, Robinson, Jean, Rosen, Fred, Huff, Jesse W., and Perlzweig, William A. The fluorescent condensation product of N¹-methylnicotinamide and acetone. III. A rapid fluorometric method for the determination of the total pyridine nucleotides in the red blood cells, 169
—. See *Huff and Perlzweig*, 157
—. See *Perlzweig, Rosen, Levitas, and Robinson*, 511

Li, Choh Hao, and **Fraenkel-Conrat, Heinz.** Studies on pituitary lactogenic hormone. XII. Effect of esterification with methyl alcohol, 495

— and **Reinhardt, W. O.** Electrophoresis of rat plasma. II. The effect of adrenocorticotropic hormone, 487

Lipmann, Fritz, Kaplan, Nathan O., Novelli, G. David, Tuttle, L. Constance, and **Guirard, Beverly M.** Coenzyme for acetylation, a pantothenic acid derivative, 869

Livermore, Arthur H., and **Sealock, Robert Ridgely.** The synthesis of benzyl-(3)-thiazolium chloride analogues of thiamine, 699

Logan, Milan A. See *Boyd, Logan, and Tytell,* 879

Loring, Hubert S. See *Schwerdt and Loring,* 593

Luck, J. Murray. See *Boyer, Ballou, and Luck,* 407

Ludewig, Stephan, and **Chanutin, Alfred.** Effect of diets on the deposition of liver lipides in partially nephrectomized rats, 35

—. See *Chanutin and Ludewig,* 313

Lyman, Carl M., Moseley, Olive, Wood, Suzanne, Butler, Betty, and **Hale, Fred.** Some chemical factors which influence the amino acid requirements of the lactic acid bacteria, 177

M

Martin, Gustav J., Moss, Jack, and **Avakian, Souren.** "Folic acid" activity of N-(4-(4-quinazoline)benzoyl)-glutamic acid, 737

Mason, Harold L., and **Kepler, Edwin J.** Urinary steroids isolated after administration of dehydroisoandrosterone to human subjects, 73

McKennis, Herbert, Jr. The growth-promoting activity of cholesterol and related compounds in black carpet beetle larvae, 645

Mehler, Alan. See *Ochoa, Mehler, and Kornberg,* 871

Mellors, Robert C. See *Bodian and Mellors,* 655

Mentha, John, Sprinz, Helmuth, and **Barnard, Robert.** Rapid extraction of human erythrocyte cholinesterase by alkali pseudoagglutination, 623

Mitchell, H. H. See *Johnson, Wiese, Mitchell, and Nevens,* 729

Moseley, Olive. See *Lyman, Moseley, Wood, Butler, and Hale,* 177

Moss, Jack. See *Martin, Moss, and Avakian,* 737

Mueller, Alexander, and **Fox, Sereck H.** Chemical determination of niacin, 291

N

Nachmansohn, David, Berman, M., and **Weiss, Michael S.** Presence of choline acetylase in striated and cardiac muscle, 295

Nevens, W. B. See *Johnson, Wiese, Mitchell, and Nevens,* 729

Nieft, Marie L., and **Deuel, Harry J., Jr.** The effect of fat on the absorption and utilization of galactose by the rat, 521

Norris, L. C. See *Scott, Norris, and Heuser,* 261

Novelli, G. David. See *Lipmann, Kaplan, Novelli, Tuttle, and Guirard,* 869

O

Ochoa, Severo, Mehler, Alan, and **Kornberg, Arthur.** Reversible oxidative decarboxylation of malic acid, 871

Olsen, Norman S., and **Klein, J. Raymond.** Effect of cyanide on the concentration of lactate and phosphates in brain, 739

—. See *Klein and Olsen,* 1, 747

P

Pappenheimer, Alwin M., Jr. Diphtheria toxin. III. A reinvestigation of the effect of iron on toxin and porphyrin production, 251

Parrish, D. B., Wise, G. H., and **Hughes, J. S.** The state of vitamin A in colostrum and in milk, 673

Perisutti, Gladys. See *Cook and Perisutti,* 827

Perlzweig, William A., Rosen, Fred, Levitas, Nora, and **Robinson, Jean.** The excretion of nicotinic acid derivatives after ingestion of tryptophane by man, 511
—. See *Huff and Perlzweig,* 157
—. See *Levitas, Robinson, Rosen, Huff, and Perlzweig,* 169
Philips, Frederick S., Gilman, Alfred, Koelle, Ethol S., and **Allen, Roberta P.** The effect of tetrathionate *in vivo* and *in vitro* on the activity of succinoxidase, 209
Plazin, John. See *Van Slyke and Hiller,* 107
Porter, Curt C., Clark, Irwin, and **Silber, Robert H.** The effect of pyridoxine analogues on tryptophane metabolism in the rat, 573
Potts, Albert M. See *Simon, Potts, and Gerard,* 303
Prescott, Blanche A., and **Waelsch, Heinrich.** Free and combined glutamic acid in human blood plasma and serum, 855
Price, Vincent E. See *Goncalves, Price, and Greenstein,* 881

R

Racker, E. Spectrophotometric measurement of hexokinase and phosphohexokinase activity, 843
Rapoport, S., and **Wagner, Robert H.** Isolation of α-phosphotrihydroxyglutaric acid from dog liver, 621
Rapport, M. M. See *Senear, Rapport, and Koepfli,* 229
Reinhardt, W. O. See *Li and Reinhardt,* 487
—. See *Tarver and Reinhardt,* 395
Reinhold, John G., and **Fowler, Catherine B.** A study of the mechanism of the methylene blue test for bile pigment in urine: preparation of a compound of methylene blue and bilirubin, 401
Riesen, W. H., Clandinin, D. R., Elvehjem, C. A., and **Cravens, W. W.** Liberation of essential amino acids from raw, properly heated, and overheated soy bean oil meal, 143
Rittenberg, D. See *Shemin and Rittenberg,* 875
Robinson, Jean. See *Huff and Perlzweig,* 157
—. See *Levitas, Robinson, Rosen, Huff, and Perlzweig,* 169
—. See *Perlzweig, Rosen, Levitas, and Robinson,* 511
Rosen, Fred. See *Levitas, Robinson, Rosen, Huff, and Perlzweig,* 169
—. See *Perlzweig, Rosen, Levitas, and Robinson,* 511
Rosenkrantz, Harris. See *Furchgott, Rosenkrantz, and Shorr,* 627
Rothen, Alexandre. On the mechanism of enzymatic activity. II, 299
Rubin, Saul H., Scheiner, Jacob, and **Hirschberg, Erich.** The availability of vitamin B_6 in yeast and liver for growth of *Saccharomyces carlsbergensis,* 599
Ruegamer, W. R., Cooperman, Jack M., Sporn, E. M., Snell, Esmond E., and **Elvehjem, C. A.** Comparative distribution of a stimulatory factor for *Streptococcus faecalis* R and the monkey antianemia factor, 861

S

Sarett, Herbert P., and **Goldsmith, Grace A.** The effect of tryptophane on the excretion of nicotinic acid derivatives in humans, 293
Sarma, P. S. See *Ames, Sarma, and Elvehjem,* 135
Scheiner, Jacob. See *Rubin, Scheiner, and Hirschberg,* 599
Schmidt, Carl L. A. See *Tarver and Schmidt,* 387
Schneidmesser, B. See *Farkas and Schneidmesser,* 807
Scholander, P. F. Analyzer for accurate estimation of respiratory gases in one-half cubic centimeter samples, 235
Schultz, Julius, and **Vars, Harry M.** On the Graff modification of the Vickery-White procedure for the estimation of cystine, 715

Schwerdt, C. E., and Loring, Hubert S. The identification of three mononucleotides from tobacco mosaic virus nucleic acid, 593

Scott, M. L., Norris, L. C., and Heuser, G. F. The probable identity of strepogenin with factor S and the importance of this factor in chick nutrition, 261

Sealock, Robert Ridgely, and Lan, Tien Ho. Dihydroxyphenylalanine metabolism in the presence of kidney and liver slices of normal and scorbutic guinea pigs, 689

—. See *Livermore and Sealock*, 699

Senear, A. E., Rapport, M. M., and Koepfli, J. B. The synthesis of potential antimalarials. Derivatives of α,γ-dihydroxy-β,β-dimethyl-N-ethylbutyramide, 229

Shafran, Manya. See *Kalckar*, 429, 461, 477

Shemin, David, and Rittenberg, D. On the utilization of glycine for uric acid synthesis in man, 875

Sherstinsky, E. See *Grossowicz and Sherstinsky*, 101

Shive, William. See *Beerstecher and Shive*, 49

—. See *Beerstecher and Shive*, 527

Shorr, Ephraim. See *Furchgott, Rosenkrantz, and Shorr*, 627

Shwartzman, Gregory, and Fisher, Alice. Studies on antibacterial properties of irradiated pyridoxamine, 345

Silber, Robert H. See *Porter, Clark, and Silber*, 573

Silverman, Herbert, and Gubernick, Isadore. Colorimetric determination of uric acid with alkaline ferricyanide, 363

Simon, Frieda P., Potts, Albert M., and Gerard, R. W. Metabolism of isolated lung tissue: normal and in phosgene poisoning, 303

Sinclair, R. G., and Chipman, Lois. The composition of the cholesterol esters and glycerides in the liver of the rat, 773

Singer, Seymour. See *Stern, Singer, and Davis*, 321

Smith, Emil L., and Gerlough, Tillman D. The isolation and properties of the proteins associated with tetanus antitoxic activity in equine plasma, 679

— and **Greene, Richard D.** Further studies on the amino acid composition of seed globulins, 833

Snell, Esmond E. See *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861

Sporn, E. M. See *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861

Sprinz, Helmuth. See *Mentha, Sprinz, and Barnard*, 623

Stanley, W. M. See *Gaw and Stanley*, 765

Stekol, Jakob A. Studies on the mercapturic acid synthesis in animals. XV. On the mechanism of inhibition of growth of rats by benzyl chloride, 637

Stern, Kurt G., Singer, Seymour, and Davis, Sanford. A diffusion cell adapted to use in the Tiselius apparatus, 321

Stokes, Jacob L., Larsen, Alma, and Gunness, Marion. Biotin and the synthesis of aspartic acid by microorganisms, 613

Stokstad, E. L. R., Fordham, Doris, and de Grunigen, Anna. The inactivation of pteroylglutamic acid (liver *Lactobacillus casei* factor) by light, 877

Stumpf, P. K., Zarudnaya, K., and Green, D. E. Pyruvic and α-ketoglutaric oxidase of animal tissue, 817

—. See *Green, Stumpf, and Zarudnaya*, 811

T

Tarver, Harold, and Reinhardt, W. O. Methionine labeled with radioactive sulfur as an indicator of protein formation in the hepatectomized dog, 395

— and **Schmidt, Carl L. A.** The urinary sulfur partition in normal and cystinuric dogs fed labeled methionine, 387

Thomson, John F. See *Black and Thomson*, 283
Tilden, Mary W. See *Huff and Perlzweig*, 157
Tuttle, L. Constance. See *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869
Tytell, Alfred A. See *Boyd, Logan, and Tytell*, 879

U

Umbreit, W. W. See *Albaum and Umbreit*, 369

V

Van Slyke, Donald D., and Hiller, Alma. Application of Sendroy's iodometric chloride titration to protein-containing fluids, 107
Vars, Harry M. See *Schultz and Vars*, 715

W

Wade, Nelson J. See *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy*, 53
Waelsch, Heinrich. See *Prescott and Waelsch*, 855
Wagner, Robert H. See *Rapoport and Wagner*, 621
van Wagtendonk, Willem J. A dietary factor essential for guinea pigs. X. Purine metabolism during deficiency, 219
van Wagtendonk; Willem J., and Freed, Anna May. XI. Diffusible and non-diffusible plasma calcium during the deficiency of the antistiffness factor, 225
Wallace, W. B. See *Hauschildt, Isaacs, and Wallace*, 331
Warren, Charles O. Fractionation of serum with respect to its action in enhancing tissue respiration, 543
Weiss, Michael S. See *Nachmansohn, Berman, and Weiss*, 295
Wells, Ibert C., Hays, Edwin E., Wade, Nelson J., Gaby, W. L., Carroll, C. J., Jones, L. R., and Doisy, Edward A. Some biological properties of Pyo II, 53
Wiese, A. C. See *Johnson, Wiese, Mitchell, and Nevens*, 729
Wise, G. H. See *Parrish, Wise, and Hughes*, 673
Wood, Suzanne. See *Lyman, Moseley, Wood, Butler, and Hale*, 177

Z

Zarudnaya, K. See *Green, Stumpf, and Zarudnaya*, 811
—. See *Stumpf, Zarudnaya, and Green*, 817
Ziegenhagen, Anita J., Ames, Stanley R., and Elvehjem, C. A. Enzymatic oxidation and hydrolysis of glutathione by different tissues, 129
Zittle, Charles A. Effect of borate on a protein-polysaccharide complex, the phosphoesterase from calf intestinal mucosa, 297

INDEX TO SUBJECTS

A

Acetic acid: Formation, carbon dioxide relation, *Barker and Elsden*, 619
Guanido-, determination, urine and blood serum, *Hoberman*, 721
Indole-3-, bacteriophage synthesis, effect, *Cohen and Fowler*, 625

Acetone: N^1-Methylnicotinamide and, condensation product, fluorescent, *Huff*, 151
Huff and Perlzweig, 157
Levitas, Robinson, Rosen, Huff, and Perlzweig, 169
— —, — —, synthesis and properties, *Huff*, 151

Acetylase: Choline, muscle, striated and cardiac, *Nachmansohn, Berman, and Weiss*, 295

Acetylation: Coenzyme, pantothenic acid derivative, relation, *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869

Actin: *Jakus and Hall*, 705

Adenine: Compounds, determination, spectrophotometric, enzyme use in, *Kalckar*, 445

Adrenocortical carcinoma: 17a-Methyl-Δ^5-D-homoandrostenediol-3(β),17a-(α)-one-17 isolation, *Hirschmann and Hirschmann*, 7
Δ^5-Pregnenediol-3(β),17(β)-one-20 isolation, *Hirschmann and Hirschmann*, 7
Steroid excretion, *Hirschmann and Hirschmann*, 7

Adrenocorticotropic hormone: Blood plasma electrophoresis, effect, *Li and Reinhardt*, 487

Adrenotropic hormone: Pituitary, preparation, *Fishman*, 425

Alanine: Dihydroxyphenyl-, metabolism, kidney and liver, scurvy effect, *Sealock and Lan*, 689
Phenyl-. *See* Phenylalanine
β-2-Thienyl-, tyrosine synthesis, effect, *Beerstecher and Shive*, 49

Albumin: Blood plasma, determination, precipitin reaction, *Chow*, 757
— serum, determination, precipitin reaction, *Chow*, 757
— —, fatty acids and related compounds, combination, *Boyer, Ballou, and Luck*, 407

Amide(s): Desamidation, pyruvate effect, *Goncalves, Price, and Greenstein*, 881

Amidine(s): Aromatic, blood plasma and urine, determination, *Jackson, Kuhl, and Irvin*, 377

Amino acid(s): Essential, soy bean oil meal, *Riesen, Clandinin, Elvehjem, and Cravens*, 143
Lactic acid bacteria, requirements, factors influencing, *Lyman, Moseley, Wood, Butler, and Hale*, 177
Seed globulins, *Smith and Greene*, 833
Thiamine substitution, *Bacillus paraalvei* nutrition, effect, *Katznelson*, 615
Tissue, formation, pyruvate and ammonia relation and mechanism, *Kritzmann*, 77

Ammonia: Tissue amino acid formation, relation and mechanism, *Kritzmann*, 77

Androsterone: Dehydroiso-, urine steroids, effect, *Mason and Kepler*, 73

Anemia: Anti-, factor, monkey, *Streptococcus faecalis*-stimulatory factor, relation, *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861

Antistiffness factor: Deficiency, blood plasma calcium, effect, *van Wagtendonk and Freed*, 225

Antitoxin: Tetanus, blood plasma proteins, relation, *Smith and Gerlough*, 679

Apparatus: Analyzer, respiratory gases, *Scholander*, 235
Diffusion cell, Tiselius apparatus, *Stern, Singer, and Davis*, 321

Apparatus—*continued:*
Flame photometer, sodium and potassium determination, biological materials, *Hald*, 499
Arginine: Blood serum, determination, *Hoberman*, 721
Urine, determination, *Hoberman*, 721
Ascorbic acid: Dehydro-, determination, spectrophotometric, *Bolomey and Kemmerer*, 781
Aspartic acid: Synthesis by microorganisms, biotin relation, *Stokes, Larsen, and Gunness*, 613

B

Bacillus coli: Fumarate hydrogenation, heavy hydrogen presence, *Farkas and Schneidmesser*, 807
Bacillus paraalvei: Nutrition, thiamine substitution by amino acids, effect, *Katznelson*, 615
Bacteria: Anti-, properties, pyridoxamine, *Shwartzman and Fisher*, 345
Lactic acid, amino acid requirements, factors influencing, *Lyman, Moseley, Wood, Butler, and Hale*, 177
See also Clostridium, Proteus, Streptococcus
Bacteriophage: Synthesis, indole-3-acetic acid effect, *Cohen and Fowler*, 625
Bean: Soy, oil meal, amino acids, essential, *Riesen, Clandinin, Elvehjem, and Cravens*, 143
Beetle: Carpet, black, larvae, cholesterol and related compounds, growth, effect, *McKennis*, 645
Benzyl chloride: Growth effect, *Stekol*, 637
Benzyl-(3)-thiazolium chloride: Thiamine analogues, synthesis, *Livermore and Sealock*, 699
Bile pigment: Urine, test, methylene blue, mechanism, *Reinhold and Fowler*, 401
Bilirubin: Methylene blue and, compound, *Reinhold and Fowler*, 401
Biotin: Aspartic acid synthesis by microorganisms, relation, *Stokes, Larsen, and Gunness*, 613
Blood: Brain and, glutamate, lactate, pyruvate, and succinate, distribution, *Klein and Olsen*, 1
Blood cell(s): Red, cholinesterase extraction, alkali pseudoagglutination use, *Mentha, Sprinz, and Barnard*, 623
—, pyridine nucleotide determination, fluorometric, *Levitas, Robinson, Rosen, Huff, and Perlzweig*, 169
Blood plasma: Albumin, determination, precipitin reaction, *Chow*, 757
Amidines, aromatic, determination, *Jackson, Kuhl, and Irvin*, 377
Calcium, antistiffness factor deficiency, effect, *van Wagtendonk and Freed*, 225
Cholesterol, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Electrophoresis, *Li and Reinhardt*, 487
—, adrenocorticotropic hormone effect, *Li and Reinhardt*, 487
Fibrin, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Glutamic acid, free and combined, *Prescott and Waelsch*, 855
Proteins, tetanus antitoxin, relation, *Smith and Gerlough*, 679
Sugar, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Blood serum: Albumin, determination, precipitin reaction, *Chow*, 757
—, fatty acids and related compounds, combination, *Boyer, Ballou, and Luck*, 407
Arginine determination, *Hoberman*, 721
Fractionation, tissue respiration, relation, *Warren*, 543
Glutamic acid, free and combined, *Prescott and Waelsch*, 855
Guanidoacetic acid determination, *Hoberman*, 721
Borate: Intestine protein-polysaccharide complex, effect, *Zittle*, 297

Brain: Blood and, glutamate, lactate, pyruvate, and succinate, distribution, *Klein and Olsen*, 1
Glucose, convulsions, effect, *Klein and Olsen*, 747
Glycogen, convulsions, effect, *Klein and Olsen*, 747
Lactate, convulsions, effect, *Klein and Olsen*, 747
—, cyanide effect, *Olsen and Klein*, 739
Phosphates, convulsions, effect, *Klein and Olsen*, 747
—, cyanide effect, *Olsen and Klein*, 739
Burn(s): Blood plasma fibrin, cholesterol, and sugar, effect, *Chanutin and Ludewig*, 313
Butyramide: α,γ-Dihydroxy-β,β-dimethyl-N-ethyl-, derivatives, antimalarial effect, *Senear, Rapport, and Koepfli*, 229

C

Calcium: Blood plasma, antistiffness factor deficiency, effect, *van Wagtendonk and Freed*, 225
Carbon dioxide: Acetic acid formation, relation, *Barker and Elsden*, 619
Glycine formation, relation, *Barker and Elsden*, 619
Carcinoma: Adrenocortical, Δ^5-pregnenediol-3(β),17(β)-one-20 and 17a-methyl-Δ^5-D-homoandrostenediol-3-(β),17a(α)-one-17 isolation, *Hirschmann and Hirschmann*, 7
—, steroid excretion, *Hirschmann and Hirschmann*, 7
Carpet: Beetle, black, larvae, cholesterol and related compounds, growth, effect, *McKennis*, 645
Cartesian diver: Respirometer, micro, technique, *Anfinsen and Claff*, 27
Chick: Nutrition, factor S effect, *Scott, Norris, and Heuser*, 261
Chloride(s): Determination, protein-containing fluids, iodometric, Sendroy, *Van Slyke and Hiller*, 107
Chloroethyl: β-, vesicants, blood plasma fibrin, cholesterol, and sugar, effect, *Chanutin and Ludewig*, 313
Cholesterol: Blood plasma, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Carpet beetle, black, larvae, growth, effect, *McKennis*, 645
Esters, liver, *Sinclair and Chipman*, 773
-Related compounds, carpet beetle, black, larvae, growth, effect, *McKennis*, 645
Choline acetylase: Muscle, striated and cardiac, *Nachmansohn, Berman, and Weiss*, 295
Cholinesterase: Blood cell, red, extraction, alkali pseudoagglutination use, *Mentha, Sprinz, and Barnard*, 623
Chymotrypsin: Tyrosinase effect, *Edman*, 301
Citrus fruit: Phosphatase, *Axelrod*, 57
Clostridium welchii: Growth, *Boyd, Logan, and Tytell*, 879
Coenzyme: Acetylation, pantothenic acid derivative, relation, *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869
Colostrum: Vitamin A, *Parrish, Wise, and Hughes*, 673
Convulsion(s): Brain glucose, glycogen, lactate, and phosphates, effect, *Klein and Olsen*, 747
Creatine: Phospho-, neurons, regenerating, *Bodian and Mellors*, 655
Cyanide: Brain lactate, effect, *Olsen and Klein*, 739
— phosphates, effect, *Olsen and Klein*, 739
Cystine: Determination, Vickery-White procedure, Graff modification, *Schultz and Vars*, 715
Cystinuria: Urine sulfur partition, labeled methionine in study, *Tarver and Schmidt*, 387
Cytochrome: Oxidase depression, phenylmercuric nitrate-induced, sulfhydryl effect, *Cook and Perisutti*, 827

D

Dehydroascorbic acid: Determination, spectrophotometric, *Bolomey and Kemmerer*, 781

Dehydrogenase: Succinic, neurons, regenerating, *Howe and Flexner*, 663
—, system, tocopherol esters, effect, *Basinski and Hummel*, 339
Dehydroisoandrosterone: Urine steroids, effect, *Mason and Kepler*, 73
Diacetyl mutase: *Green, Stumpf, and Zarudnaya*, 811
Di-β-chloroethyl sulfide: Metabolism, effect, *Black and Thomson*, 283
Diet: Guinea pig, essential factor, *van Wagtendonk*, 219
van Wagtendonk and Freed, 225
— —, — — deficiency, purine metabolism, effect, *van Wagtendonk*, 219
Liver lipide deposition, nephrectomy, effect, *Ludewig and Chanutin*, 35
Diffusion cell: Tiselius apparatus, use in, *Stern, Singer, and Davis*, 321
Dihydroxy-β,β-dimethyl-N-ethylbutyramide: α,γ-, derivatives, antimalarial effect, *Senear, Rapport, and Koepfli*, 229
Dihydroxyphenylalanine: Metabolism, kidney and liver, scurvy effect, *Sealock and Lan*, 689
Diphtheria: Porphyrin production, iron effect, *Pappenheimer*, 251
Toxin, *Pappenheimer*, 251
— production, iron effect, *Pappenheimer*, 251

E

Enzyme(s): Activity, mechanism, *Rothen*, 299
Adenine compounds, determination, spectrophotometric, use in, *Kalckar*, 445
Co-, acetylation, pantothenic acid derivative, relation, *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869
Glutathione oxidation and hydrolysis, *Ziegenhagen, Ames, and Elvehjem*, 129
Hydroxypurine compounds, determination, spectrophotometric, use in, *Kalckar*, 429
Enzyme(s)—*continued:*
Purine compounds, determination, spectrophotometric, use in, *Kalckar*, 429, 445, 461
— metabolism, use in study, *Kalckar*, 461
— ribosides, synthesis by, *Kalckar*, 477
See also Acetylase, Cholinesterase, Chymotrypsin, Dehydrogenase, Hexokinase, Mutase, Oxidase, Papain, Penicillinase, Pepsin, Phosphatase, Phosphoesterase, Phosphohexokinase, Succinoxidase, Transaminase, Trypsin, Tyrosinase
Ergosterol: Electrically activated, Whittier process, *Dasler and Bauer*, 581
Erythrocyte(s): *See* Blood cell, red
Esterase: Choline. *See* Cholinesterase
Phospho-, intestine, borate effect, *Zittle*, 297
Ethyl sulfide: Di-β-chloro-, metabolism, effect, *Black and Thomson*, 283

F

Factor S: Chick nutrition, effect, *Scott, Norris, and Heuser*, 261
Strepogenin, identity, *Scott, Norris, and Heuser*, 261
Fat(s): Galactose utilization, effect, *Nieft and Deuel*, 521
Fatty acid(s): Blood serum albumin and, combination, *Boyer, Ballou, and Luck*, 407
Fibrin: Blood plasma, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Folic acid: N-(4-(4-Quinazoline)benzoyl)glutamic acid, *Martin, Moss, and Avakian*, 737
See also Pteroylglutamic acid
Fumarate: Hydrogenation, heavy hydrogen and *Bacillus coli*, relation, *Farkas and Schneidmesser*, 807

G

Galactose: Utilization, fat effect, *Nieft and Deuel*, 521
Gas(es): Respiratory, determination, micro-, analyzer, *Scholander*, 235

Globulin(s): Seed, amino acids, *Smith and Greene,* 833
Glucose: Brain, convulsions, effect, *Klein and Olsen,* 747
Glutamate: Blood and brain, distribution, *Klein and Olsen,* 1
Glutamic acid: Free and combined, blood plasma and serum, *Prescott and Waelsch,* 855
Pteroyl-, light effect, *Stokstad, Fordham, and de Grunigen,* 877
N-(4-(4-Quinazoline)benzoyl)-, folic acid, relation, *Martin, Moss, and Avakian,* 737
Glutaric acid: α-Phosphotrihydroxy-, liver, isolation, *Rapoport and Wagner,* 621
Glutathione: Oxidation and hydrolysis, enzymatic, *Ziegenhagen, Ames, and Elvehjem,* 129
Glyceride(s): Liver, *Sinclair and Chipman,* 773
Glycine: Formation, carbon dioxide relation, *Barker and Elsden,* 619
Uric acid synthesis, effect, *Shemin and Rittenberg,* 875
Glycogen: Brain, convulsions, effect, *Klein and Olsen,* 747
Growth: Benzyl chloride effect, *Stekol,* 637
Biochemical transformations, *Beerstecher and Shive,* 49
Carpet beetle, black, larvae, cholesterol and related compounds, effect, *McKennis,* 645
Clostridium welchii, Boyd, Logan, and Tytell, 879
Saccharomyces carlsbergensis, yeast and liver vitamin B_6 effect, *Rubin, Scheiner, and Hirschberg,* 599
Guanidoacetic acid: Blood serum, determination, *Hoberman,* 721
Urine, determination, *Hoberman,* 721
Guinea pig: Diet essential, *van Wagtendonk,* 219
van Wagtendonk and Freed, 225
— — deficiency, purine metabolism, effect, *van Wagtendonk,* 219

H

Heart: *See also* Muscle
Hemoglobin: Protoporphyrin preparation from, *Grinstein,* 515
Hepatectomy: Protein formation, methionine-labeled radioactive sulfur in study, *Tarver and Reinhardt,* 395
Hexokinase: Determination, spectrophotometric, *Racker,* 843
Phospho-, determination, spectrophotometric, *Racker,* 843
Hexuronic acids: Determination, colorimetric, *Dische,* 189
Homoandrostenediol-3(β),17a(α)-one-17: 17a-Methyl-Δ^5-D-, isolation, adrenocortical carcinoma, *Hirschmann and Hirschmann,* 7
Hydrogen: Heavy, fumarate hydrogenation, *Bacillus coli* relation, *Farkas and Schneidmesser,* 807
Molecular, activation, *Proteus vulgaris* effect, *Farkas and Fischer,* 787
Hydroxypurine: Compounds, determination, spectrophotometric, enzyme use in, *Kalckar,* 429

I

Indole-3-acetic acid: Bacteriophage synthesis, effect, *Cohen and Fowler,* 625
Insulin sulfate: *Glendening, Greenberg, and Fraenkel-Conrat,* 125
Intestine: Mucosa, protein-polysaccharide complex, borate effect, *Zittle,* 297
Iron: Diphtheria porphyrin production, effect, *Pappenheimer,* 251
— toxin production, effect, *Pappenheimer,* 251

K

Ketoestrone-3-methyl ether: 16-, *Huffman,* 273
Ketoglutaric oxidase: α-, tissue, *Stumpf, Zarudnaya, and Green,* 817
Kidney: Dihydroxyphenylalanine metabolism, scurvy effect, *Sealock and Lan,* 689
See also Nephrectomy

L

Lactate: Blood and brain, distribution, *Klein and Olsen*, 1
Brain, convulsions, effect, *Klein and Olsen*, 747
—, cyanide effect, *Olsen and Klein*, 739
Lactic acid: Bacteria, amino acid requirements, factors influencing, *Lyman, Moseley, Wood, Butler, and Hale*, 177
Lactobacillus casei: Factor, liver, light effect, *Stokstad, Fordham, and de Grunigen*, 877
Lactogenic hormone: Pituitary, *Li and Fraenkel-Conrat*, 495
—, esterification, methyl alcohol, effect, *Li and Fraenkel-Conrat*, 495
Larva: Carpet beetle, black, cholesterol and related compounds, growth, effect, *McKennis*, 645
Lipide(s): Liver, deposition, nephrectomy, diet effect, *Ludewig and Chanutin*, 35
Liver: Cholesterol esters, *Sinclair and Chipman*, 773
Dihydroxyphenylalanine metabolism, scurvy effect, *Scalock and Lan*, 689
Glycerides, *Sinclair and Chipman*, 773
Lactobacillus casei factor, light effect, *Stokstad, Fordham, and de Grunigen*, 877
Lipide deposition, nephrectomy, diet effect, *Ludewig and Chanutin*, 35
α-Phosphotrihydroxyglutaric acid isolation, *Rapoport and Wagner*, 621
Vitamin B_6, *Saccharomyces carlsbergensis* growth, effect, *Rubin, Scheiner, and Hirschberg*, 599
See also Hepatectomy
Lung: Metabolism, phosgene poisoning, *Simon, Potts, and Gerard*, 303

M

Malaria: Antimalarial agents, synthesis, *Senear, Rapport, and Koepfli*, 229
Malaria—*continued:*
α,γ-Dihydroxy-β,β-dimethyl-N-ethylbutyramide, effect, *Senear, Rapport, and Koepfli*, 229
Malic acid: Decarboxylation, reversible, *Ochoa, Mehler, and Kornberg*, 871
Mercapturic acid(s): Synthesis, biological, *Stekol*, 637
Metabolism: Di-β-chloroethyl sulfide effect, *Black and Thomson*, 283
Methionine: -Labeled radioactive sulfur, protein formation, hepatectomy, use in study, *Tarver and Reinhardt*, 395
Labeled, urine sulfur partition, cystinuria, use in study, *Tarver and Schmidt*, 387
Methylene blue: Bilirubin and, compound, *Reinhold and Fowler*, 401
Urine bile pigment test, mechanism, *Reinhold and Fowler*, 401
Methyl-Δ^5-D-homoandrostenediol-3(β),-17a(α)-one-17: 17a-, isolation, adrenocortical carcinoma, *Hirschmann and Hirschmann*, 7
Methylnicotinamide: N^1-, acetone and, condensation product, fluorescent, *Huff*, 151
Huff and Perlzweig, 157
Levitas, Robinson, Rosen, Huff, and Perlzweig, 169
—, — —, — product, synthesis and properties, *Huff*, 151
—, urine, determination, fluorometric, *Huff and Perlzweig*, 157
Microorganism(s): Aspartic acid synthesis, biotin relation, *Stokes, Larsen, and Gunness*, 613
Milk: Vitamin A, *Parrish, Wise, and Hughes*, 673
Mold: *See also Saccharomyces*
Monkey: Antianemia factor, *Streptococcus faecalis*-stimulatory factor, relation, *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861
Mononucleotide(s): Tobacco mosaic virus nucleic acid, identification, *Schwerdt and Loring*, 593

Mosaic: Virus, tobacco, nucleic acid, mononucleotides, identification, *Schwerdt and Loring*, 593
—, —, tobacco and phlox plants, comparison, *Gaw and Stanley*, 765
Muscle: Heart, choline acetylase, *Nachmansohn, Berman, and Weiss*, 295
Striated, choline acetylase, *Nachmansohn, Berman, and Weiss*, 295
Mutase: Diacetyl, *Green, Stumpf, and Zarudnaya*, 811
Myosin: *Jakus and Hall*, 705

N

Nephrectomy: Liver lipide deposition, diet effect, *Ludewig and Chanutin*, 35
Neuron(s): Regenerating, phosphocreatine, *Bodian and Mellors*, 655
—, succinic dehydrogenase, *Howe and Flexner*, 663
Niacin: Determination, chemical, *Mueller and Fox*, 291
Nicotinamide: N^1-Methyl-, acetone and, condensation product, fluorescent, *Huff*, 151
Huff and Perlzweig, 157
Levitas, Robinson, Rosen, Huff, and Perlzweig, 169
—, — —, — product, synthesis and properties, *Huff*, 151
—, urine, determination, fluorometric, *Huff and Perlzweig*, 157
Nicotinic acid: Derivatives, excretion, tryptophane effect, *Sarett and Goldsmith*, 293
Perlzweig, Rosen, Levitas, and Robinson, 511
Determination, *Proteus* HX19 use, *Grossowicz and Sherstinsky*, 101
Metabolism, calf nutrition, rôle, *Johnson, Wiese, Mitchell, and Nevens*, 729
Nitrogen: Urea, determination, micro-, colorimetric, xanthydrol use, *Engel and Engel*, 535
Nucleic acid: Tobacco mosaic virus, mononucleotides, identification, *Schwerdt and Loring*, 593
Nucleolysis: Pancreas protein, crystalline, activity, *Laskowski and Kazenko*, 617
Nucleotide(s): Mono-, tobacco mosaic virus nucleic acid, identification, *Schwerdt and Loring*, 593
Pyridine, blood cell, red, determination, fluorometric, *Levitas, Robinson, Rosen, Huff, and Perlzweig*, 169
Nutrition: Chick, factor S effect, *Scott, Norris, and Heuser*, 261

O

Oil: Soy bean, meal, amino acids, essential, *Riesen, Clandinin, Elvehjem, and Cravens*, 143
Oxidase: Cytochrome, depression, phenylmercuric nitrate-induced, sulfhydryl effect, *Cook and Perisutti*, 827
α-Ketoglutaric, tissue, *Stumpf, Zarudnaya, and Green*, 817
Pyruvic, tissue, *Stumpf, Zarudnaya, and Green*, 817
Succin-, tetrathionate effect, *Philips, Gilman, Koelle, and Allen*, 209

P

Pancreas: Protein, crystalline, nuceolytic and proteolytic activities, *Laskowski and Kazenko*, 617
Pantothenic acid: Derivative, coenzyme for acetylation, relation, *Lipmann, Kaplan, Novelli, Tuttle, and Guirard*, 869
Papain: Proteolysis, hydrogen ion concentration effect, *Hoover and Kokes*, 199
Penicillin: Determination, manometric, *Henry and Housewright*, 559
-Penicillinase reaction, kinetics, *Henry and Housewright*, 559
Penicillinase: *Housewright and Henry*, 553
Henry and Housewright, 559
Determination, manometric, *Henry and Housewright*, 559
Inhibitors, effect, *Henry and Housewright*, 559

Penicillinase—*continued:*
Penicillin-, reaction, kinetics, *Henry and Housewright*, 559
Production, purification, and application, *Housewright and Henry*, 553
Pepsin: Tyrosinase effect, *Edman*, 301
Phenylalanine: Synthesis, tyrosine effect, *Beerstecher and Shive*, 527
Phenylmercuric nitrate: Action, *Cook and Perisutti*, 827
Cytochrome oxidase and yeast respiration depression by, sulfhydryl effect, *Cook and Perisutti*, 827
Phlox: Tobacco mosaic virus, *Gaw and Stanley*, 765
Phosgene: Lung metabolism, effect, *Simon, Potts, and Gerard*, 303
Phosphatase: Citrus fruit, *Axelrod*, 57
Phosphate(s): Brain, convulsions, effect, *Klein and Olsen*, 747
—, cyanide effect, *Olsen and Klein*, 739
Phosphocreatine: Neurons, regenerating, *Bodian and Mellors*, 655
Phosphoesterase: Intestine, borate effect, *Zittle*, 297
Phosphohexokinase: Determination, spectrophotometric, *Racker*, 843
Phosphotrihydroxyglutaric acid: α-, liver, isolation, *Rapoport and Wagner*, 621
Photometer: Flame, sodium and potassium determination, biological materials, *Hald*, 499
Pigment(s): Bile. *See* Bile pigment
Pituitary: Adrenotropic hormone, preparation, *Fishman*, 425
Lactogenic hormone, *Li and Fraenkel-Conrat*, 495
— —, esterification, methyl alcohol, effect, *Li and Fraenkel-Conrat*, 495
Polysaccharide: Protein-, complex, intestine, borate effect, *Zittle*, 297
Porphyrin: Diphtheria, production, iron effect, *Pappenheimer*, 251
Proto-, *Grinstein*, 515
—, preparation from hemoglobin, *Grinstein*, 515
Potassium: Biological materials, determination, flame photometer use, *Hald*, 499
Pregnane: Derivatives, absorption spectra, *Furchgott, Rosenkrantz, and Shorr*, 627
Pregnenediol-3(β),17(β)-one-20: Δ^5-, isolation, adrenocortical carcinoma, *Hirschmann and Hirschmann*, 7
Progesterone: Absorption spectrum, *Furchgott, Rosenkrantz, and Shorr*, 627
Protein(s): Blood plasma, tetanus antitoxin, relation, *Smith and Gerlough*, 679
-Containing fluids, chloride determination, iodometric, Sendr[illegible], *Van Slyke and Hiller*, 107
Formation, hepatectomy, methionine-labeled radioactive sulfur, use in study, *Tarver and Reinhardt*, 395
Pancreas, crystalline, nucleolytic and proteolytic activities, *Laskowski and Kazenko*, 617
-Polysaccharide complex, intestine, borate effect, *Zittle*, 297
Proteolysis: Pancreas protein, crystalline, activity, *Laskowski and Kazenko*, 617
Papain, hydrogen ion concentration effect, *Hoover and Kokes*, 199
Proteus: HX19, nicotinic acid determination, use, *Grossowicz and Sherstinsky*, 101
Proteus vulgaris: Hydrogen, molecular, activation, *Farkas and Fischer*, 787
Protoporphyrin: *Grinstein*, 515
Preparation from hemoglobin, *Grinstein*, 515
Pteroylglutamic acid: Light effect, *Stokstad, Fordham, and de Grunigen*, 877
See also Folic acid
Purine: Compounds, determination, spectrophotometric, enzyme use in, *Kalckar*, 429, 445, 461
Hydroxy-, compounds, determination, spectrophotometric, enzyme use in, *Kalckar*, 429

Purine—*continued:*
Metabolism, enzyme use in, *Kalckar*, 461
—, guinea pig diet essential, deficiency effect, *van Wagtendonk*, 219
Ribosides, enzyme synthesis, *Kalckar*, 477
Pyo: II, biological properties, *Wells, Hays, Wade, Gaby, Carroll, Jones, and Doisy*, 53
Pyocyanase: *See also* Pyo
Pyridine: Nucleotides, blood cell, red, determination, fluorometric, *Levitas, Robinson, Rosen, Huff, and Perlzweig*, 169
Pyridoxamine: Irradiated, antibacterial properties, *Shwartzman and Fisher*, 345
Pyridoxine: Analogues, tryptophane metabolism, effect, *Porter, Clark, and Silber*, 573
Deficiency, *Ames, Sarma, and Elvehjem*, 135
See also Vitamin B_6
Pyruvate: Amide desamidation, effect, *Goncalves, Price, and Greenstein*, 881
Blood and brain, distribution, *Klein and Olsen*, 1
Tissue amino acid formation, relation and mechanism, *Kritzmann*, 77
Pyruvic oxidase: Tissue, *Stumpf, Zarudnaya, and Green*, 817

R

Respiration: Tissue, blood serum fractionation, relation, *Warren*, 543
Respiratory gas(es): Determination, micro-, analyzer, *Scholander*, 235
Respirometer: Micro, Cartesian diver technique, *Anfinsen and Claff*, 27
Ribose-3-phosphate: Ribose-5-phosphate and, differentiation, orcinol-pentose reaction, *Albaum and Umbreit*, 369
Riboside(s): Purine, enzyme synthesis, *Kalckar*, 477

S

Saccharomyces carlsbergensis: Growth, yeast and liver vitamin B_6 effect, *Rubin, Scheiner, and Hirschberg*, 599
Saliva: Human, *Harte*, 873
Scurvy: Dihydroxyphenylalanine metabolism, kidney and liver, effect, *Sealock and Lan*, 689
Seed(s): Globulins, amino acids, *Smith and Greene*, 833
Sodium: Biological materials, determination, flame photometer use, *Hald*, 499
Soy bean: *See* Bean, soy
Steroid(s): Absorption spectra, *Furchgott, Rosenkrantz, and Shorr*, 627
Excretion, adrenocortical carcinoma, *Hirschmann and Hirschmann*, 7
16-Substituted, *Huffman*, 273
Urine, dehydroisoandrosterone effect, *Mason and Kepler*, 73
Strepogenin: Factor S, identity, *Scott, Norris, and Heuser*, 261
Streptococcus faecalis: Stimulatory factor, *Ruegamer, Cooperman, Sporn, Snell, and Elvehjem*, 861
Succinate: Blood and brain, distribution, *Klein and Olsen*, 1
Succinic dehydrogenase: Neurons, regenerating, *Howe and Flexner*, 663
System, tocopherol esters, effect, *Basinski and Hummel*, 339
Succinoxidase: Tetrathionate effect, *Philips, Gilman, Koelle, and Allen*, 209
Sugar: Blood plasma, β-chloroethyl vesicants, burns, and turpentine, effect, *Chanutin and Ludewig*, 313
Sulfhydryl: Compounds, cytochrome oxidase and yeast respiration, phenylmercuric nitrate-induced, effect, *Cook and Perisutti*, 827
Sulfur: Radioactive, methionine-labeled, protein formation, hepatectomy, use in study, *Tarver and Reinhardt*, 395
Urine, partition, cystinuria, labeled methionine in study, *Tarver and Schmidt*, 387

T

Tetanus: Antitoxin, blood plasma proteins, relation, *Smith and Gerlough*, 679

Tetrathionate: Succinoxidase, effect, *Philips, Gilman, Koelle, and Allen*, 209

Thiamine: Amino acid substitution, *Bacillus paraalvei*, nutrition, effect, *Katznelson*, 615

Benzyl-(3)-thiazolium chloride analogues, synthesis, *Livermore and Sealock*, 699

See also Vitamin B_1

Thiazolium: Benzyl-(3)-, chloride, thiamine analogues, synthesis, *Livermore and Sealock*, 699

Thienylalanine: β-2-, tyrosine synthesis, effect, *Beerstecher and Shive*, 49

Thionate: Tetra-, *Philips, Gilman, Koelle, and Allen*, 209

Tiselius: Apparatus, diffusion cell, *Stern, Singer, and Davis*, 321

Tissue: Respiration, blood serum fractionation, relation, *Warren*, 543

Tobacco: Mosaic virus nucleic acid, mononucleotides, identification, *Schwerdt and Loring*, 593

— —, tobacco and phlox plants, comparison, *Gaw and Stanley*, 765

Tocopherol: Esters, succinic dehydrogenase system, effect, *Basinski and Hummel*, 339

Toxin: Diphtheria, *Pappenheimer*, 251

—, production, iron effect, *Pappenheimer*, 251

See also, Antitoxin

Transaminase: Deficiency, *Ames, Sarma, and Elvehjem*, 135

Trypsin: Chymo-, tyrosinase effect, *Edman*, 301

Tyrosinase effect, *Edman*, 301

Tryptophane: Determination, *Hauschildt, Isaacs, and Wallace*, 331

Metabolism, pyridoxine analogues, effect, *Porter, Clark, and Silber*, 573

Nicotinic acid derivatives, excretion, effect, *Sarett and Goldsmith*, 293 *Perlzweig, Rosen, Levitas, and Robinson*, 511

Turpentine: Blood plasma fibrin, cholesterol, and sugar, effect, *Chanutin and Ludewig*, 313

Tyrosinase: Chymotrypsin, effect, *Edman*, 301

Pepsin, effect, *Edman*, 301

Trypsin, effect, *Edman*, 301

Tyrosine: Phenylalanine synthesis, effect, *Beerstecher and Shive*, 527

Synthesis, β-2-thienylalanine effect, *Beerstecher and Shive*, 49

U

Urea: Nitrogen, determination, micro-, colorimetric, xanthydrol use, *Engel and Engel*, 535

Uric acid: Determination, colorimetric, ferricyanide use, *Silverman and Gubernick*, 363

Synthesis, glycine effect, *Shemin and Rittenberg*, 875

Urine: Amidines, aromatic, determination, *Jackson, Kuhl, and Irvin*, 377

Arginine determination, *Hoberman*, 721

Bile pigment test, methylene blue, mechanism, *Reinhold and Fowler*, 401

Guanidoacetic acid determination, *Hoberman*, 721

N^1-Methylnicotinamide determination, fluorometric, *Huff and Perlzweig*, 157

Steroids, dehydroisoandrosterone effect, *Mason and Kepler*, 73

Sulfur partition, cystinuria, labeled methionine in study, *Tarver and Schmidt*, 387

V

Vesicant(s): β-Chloroethyl, blood plasma fibrin, cholesterol, and sugar, effect, *Chanutin and Ludewig*, 313

Virus: Tobacco mosaic, nucleic acid, mononucleotides, identification, *Schwerdt and Loring*, 593

— —, tobacco and phlox plants, comparison, *Gaw and Stanley*, 765

Vitamin(s): A, colostrum, *Parrish, Wise, and Hughes,* 673
—, milk, *Parrish, Wise, and Hughes,* 673
B complex. *See also* Pantothenic acid
B_1. *See also* Thiamine
B_6, liver, *Saccharomyces carlsbergensis* growth, effect, *Rubin, Scheiner, and Hirschberg,* 599
—, yeast, *Saccharomyces carlsbergensis* growth, effect, *Rubin, Scheiner, and Hirschberg,* 599
—. *See also* Pyridoxine
C. *See also* Ascorbic acid
E. *See also* Tocopherol
H. *See also* Biotin

X

Xanthydrol: Urea nitrogen determination, micro-, colorimetric, use in, *Engel and Engel,* 535

Y

Yeast: Respiration depression, phenylmercuric nitrate-induced, sulfhydryl effect, *Cook and Perisutti,* 827
Vitamin B_6, *Saccharomyces carlsbergensis* growth, effect, *Rubin, Scheiner, and Hirschberg,* 599